



**Insecticide Resistance Management Strategies**  
**Developed by the CropLife Australia Insecticide Resistance Management Review Group**  
Valid as at 27 June 2013

---

**Crop(s) : Brassica**  
**Insect(s) : Diamondback Moth**

Refer to the separate Diamondback Moth (DBM) strategies for -

1. Queensland
2. New South Wales, Victoria, South Australia
3. Western Australia

Further DBM resistance management information is available on website:

[http://www.sardi.sa.gov.au/pestsdiseases/horticulture/horticultural\\_pests/diamondback\\_moth/insecticide\\_resistance\\_management](http://www.sardi.sa.gov.au/pestsdiseases/horticulture/horticultural_pests/diamondback_moth/insecticide_resistance_management)

**Guidelines:**

Strategies are based on:

1. Distinct windows split at times of peak DBM population and which divide the brassica growing periods in each of the regions.
2. Alternating insecticide groups (changing groups) at the nominated date (ie. new use window).
3. Consultation with local industry advisers to set the regional window dates.
4. Using *Bacillus thuringiensis* (Bts) in earlier crop stages to encourage beneficials.
5. Monitoring pest levels and not spraying unless pest thresholds are reached.
6. NOT using mixtures of insecticides for controlling DBM.
7. Good crop hygiene such as the use of clean seedlings.

---

This strategy is a guide only and does not endorse particular products, groups of products or cultural methods in terms of their performance. Always follow the product label for specific use instructions. While all effort has been taken with the information supplied in this document no responsibility, actual or implied, is taken for the day to day accuracy of product or active constituent specific information. Readers should check with the Australian regulator's (APVMA) product database for contemporary information on products and actives. The database can be sourced through [www.apvma.gov.au](http://www.apvma.gov.au). The information given in this strategy is provided in good faith and without any liability for loss or damage suffered as a result of its application and use.

Advice given in this strategy is **valid as at 27 June 2013**. All previous versions of this strategy are now invalid.  
Phone: 02 6230 6399 Email: [info@croplifeaustralia.org.au](mailto:info@croplifeaustralia.org.au) Fax: 02 6230 6355 Website: [www.croplifeaustralia.org.au](http://www.croplifeaustralia.org.au)